
Page 2 · 3

(PERMIT TERMS CONTINUED)

The manner of use of water under this permit is by nature of its activity a temporary use and any application to change the manner of use granted under this permit will be subject to additional determination and evaluation with respect to the permanent effects on existing rights and the resource within the ground water basin.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Monthly records shall be kept of the amount of water pumped from this well and the records submitted to the State Engineer on a quarterly basis within 15 days after the end of each calendar quarter.



SECOND AMENDED ASSIGNED

No. 57263

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office	MAR 0 6 1992
Returned to applicant for correction	
Corrected application filed	JUL 2 3 1992
Map filed	JUL 23 1992
The applicant LAC MINERALS (USA	
•	
Street and No. or P.O. Box No.	Reno City or Town
Ne vada 89515 State and Zip Code No.	, hereby make application for permission to appropriate the public
	ed. (If applicant is a corporation, give date and place of incorporation; if a
copartnership or association, give names of men	mbers) LAC MINERALS (USA), INC. was incorporated
in the state of Texas Augus	st 4, 1978
1. The source of the proposed appropriation is	the portal of the Rosebud decline (underground) Name of stream, lake, spring, underground or other source
2. The amount of water applied for is	I . 0 One second-fest equals 448.83 gats, per min. N / A
(a) If stored in reservoir give number of ac	
3. The water to be used for mineral explo	oration, mining, milling and associated domestic use
4. If use is for:	gation, power. mining, manufacturing, domestic, or other use. Must minit to one use.
(a) Irrigation, state number of acres to be in	rrigated
	animals to be watered
	"Remarks" see attachment
	Remarks
(d) Power:	
(1) Horsepower developed	· · · · · · · · · · · · · · · · · · ·
• •	
5. The water is to be diverted from its source	at the following point Within Lot 4 Section 24, T.34N., Describe as being within a 40-acre subdivision of public
R.29E., M.D.B.&M., (unsurveyed survey, and by course and distance to a section curner. If on	d) or at a point from which U.S.L.M.M. #207 bears N unsurveyed land, it should be so stated.
	······································
6. Place of use Sections: 6,7,18,	19,30,31,32,33,34, Township 34 North, Range 30 East
	23,24,25,26 Township 34 North, Range 29 East.
·	•
	and end about December 31 , of each year.
	provisions of NRS 535.010 you may be required to submit plans and
specifications of your diversion or storage w a surface sedimentation pond fo	works.) water will be pumped from underground sumps to re-cir_State manner in which water is to be diverted, i.e. diversion structure, ditches and
culation and land application a	s described in the attachment.

	Estimated cost of works \$50,000.00
	Estimated time required to construct works.
	Estimated time required to complete the application of water to beneficial use. 4 months Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:
	See attachment
on!	By S/Robert N. Caldwell Robert N. Caldwell, Agent 146 W. Second Street
rof	Winnemucca, Nevada 89445
	APPROVAL OF STATE ENGINEER
.gl .ac eas	int of water herein granted is only a temporary allowance and that the final water obtained under this permit will be dependent upon the amount of water actually sed to beneficial use. It is also understood that this right must allow for a sonable lowering of the static water level. This well shall be equipped with a (2) inch opening for measuring depth to water. If the well is flowing, a valve
etest cu te mg ibl	be installed and maintained to prevent waste. A totalizing meter must be called and maintained in the discharge pipeline near the point of diversion and trate measurements must be kept of water placed to beneficial use. The totalizing er must be installed before any use of water begins or before the Proof of pletion of Work is filed. This permit does not extend the permittee the right of ingress and egress on i.c, private or corporate lands. The total combined duty of water under Permits 55516 and 57263 shall not exceed million gallons annually. WINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to seed. 1.0
ist custe iste ist ist ist ist ist ist ist ist ist ist	be installed and maintained to prevent waste. A totalizing meter must be called and maintained in the discharge pipeline near the point of diversion and trate measurements must be kept of water placed to beneficial use. The totalizing er must be installed before any use of water begins or before the Proof of Detion of Work is filed. This permit does not extend the permittee the right of ingress and egress on i.c, private or corporate lands. The total combined duty of water under Permits 55516 and 57263 shall not exceed million gallons annually. WINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to
est ecu ete my ibl	be installed and maintained to prevent waste. A totalizing meter must be called and maintained in the discharge pipeline near the point of diversion and trate measurements must be kept of water placed to beneficial use. The totalizing er must be installed before any use of water begins or before the Proof of pletion of Work is filed. This permit does not extend the permittee the right of ingress and egress on i.c, private or corporate lands. The total combined duty of water under Permits 55516 and 57263 shall not exceed million gallons annually. STINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to each contained annually. Contained to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to each contained annually.
ettestestestestestestestestestestesteste	be installed and maintained to prevent waste. A totalizing meter must be called and maintained in the discharge pipeline near the point of diversion and trate measurements must be kept of water placed to beneficial use. The totalizing er must be installed before any use of water begins or before the Proof of pletion of Work is filed. This permit does not extend the permittee the right of ingress and egress on i.c, private or corporate lands. The total combined duty of water under Permits 55516 and 57263 shall not exceed million gallons annually. STINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to each 1.0 cubic feet per second, but not to exceed 163 million allons annually. k must be prosecuted with reasonable diligence and be completed on or before May 5, 1994
st st cu te mg bl 3 On he ce	be installed and maintained to prevent waste. A totalizing meter must be called and maintained in the discharge pipeline near the point of diversion and trate measurements must be kept of water placed to beneficial use. The totalizing er must be installed before any use of water begins or before the Proof of pletion of Work is filed. This permit does not extend the permittee the right of ingress and egress on i.c., private or corporate lands. The total combined duty of water under Permits 55516 and 57263 shall not exceed million gallons annually. STINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to sed. 1.0 cubic feet per second, but not to exceed 163 million allons annually. Sk must be prosecuted with reasonable diligence and be completed on or before. May 5, 1994 of of completion of work shall be filed before. June 5, 1994
st st scu te mg bl 3 ON he ce g	be installed and maintained to prevent waste. A totalizing meter must be called and maintained in the discharge pipeline near the point of diversion and trate measurements must be kept of water placed to beneficial use. The totalizing must be installed before any use of water begins or before the Proof of coletion of Work is filed. This permit does not extend the permittee the right of ingress and egress on i.c, private or corporate lands. The total combined duty of water under Permits 55516 and 57263 shall not exceed million gallons annually. WITHOUGH ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to each to be prosecuted with reasonable diligence and be completed on or before. May 5, 1994 Died of completion of work shall be filed before. June 5, 1994 May 5, 1996
etestics the state of the state	be installed and maintained to prevent waste. A totalizing meter must be called and maintained in the discharge pipeline near the point of diversion and trate measurements must be kept of water placed to beneficial use. The totalizing or must be installed before any use of water begins or before the Proof of pletion of Work is filed. This permit does not extend the permittee the right of ingress and egress on ic, private or corporate lands. The total combined duty of water under Permits 55516 and 57263 shall not exceed million gallons annually. WINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to seed. 1.0 cubic feet per second, but not to exceed 163 million callons annually. As must be prosecuted with reasonable diligence and be completed on or before. May 5, 1994 Direction of water to beneficial use shall be filed on or before. May 5, 1996 Of of the application of water to beneficial use shall be filed on or before. June 5, 1996 The strain of the application of water to beneficial use shall be filed on or before. June 5, 1996
est est est est est est est est est est	be installed and maintained to prevent waste. A totalizing meter must be called and maintained in the discharge pipeline near the point of diversion and trate measurements must be kept of water placed to beneficial use. The totalizing are must be installed before any use of water begins or before the Proof of pletion of Work is filed. This permit does not extend the permittee the right of ingress and egress on lic, private or corporate lands. The total combined duty of water under Permits 55516 and 57263 shall not exceed million gallons annually. WITINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to used 1.0 cubic feet per second, but not to exceed 163 million callons annually. As must be prosecuted with reasonable diligence and be completed on or before May 5, 1994 of of completion of work shall be filed before. June 5, 1994 of of the application of water to beneficial use shall be filed on or before May 5, 1996 of of the application of water to beneficial use shall be filed on or before May 5, 1996 of no support of proof of beneficial use shall be filed on or before N/A IN TESTIMONY WHEREOF, 1, R. MICHAEL TURNIPSEED, P.E
ist	be installed and maintained to prevent waste. A totalizing meter must be called and maintained in the discharge pipeline near the point of diversion and trate measurements must be kept of water placed to beneficial use. The totalizing is must be installed before any use of water begins or before the Proof of pletion of Work is filed. This permit does not extend the permittee the right of ingress and egress on it, private or corporate lands. The total combined duty of water under Permits 55516 and 57263 shall not exceed million gallons annually. FINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to ed. 1.0 cubic feet per second, but not to exceed 163 million allons annually. At must be prosecuted with reasonable diligence and be completed on or before. May 5, 1994 of of completion of water to beneficial use shall be filed on or before. June 5, 1996 of of the application of water to beneficial use shall be filed on or before. Dina 1996 To the application of water to beneficial use shall be filed on or before. N/A IN TESTIMONY WHEREOF, 1, R. MICHAEL TURNIPSEED, P.E. State Engineer of Nevada, have hereunto set my hand and the seal of my of of beneficial use filed.
istering iblication is the second is the sec	be installed and maintained to prevent waste. A totalizing meter must be called and maintained in the discharge pipeline near the point of diversion and trate measurements must be kept of water placed to beneficial use. The totalizing er must be installed before any use of water begins or before the Proof of pletion of Work is filed. This permit does not extend the permittee the right of ingress and egress on circ, private or corporate lands. The total combined duty of water under Permits 55516 and 57263 shall not exceed million gallons annually. WITINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to red 1.0 cubic feet per second, but not to exceed 163 million allons annually. The total combined duty of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to red 1.0 cubic feet per second, but not to exceed 163 million allons annually. The total combined duty of water to beneficial use shall be filed on or before. May 5, 1994 Difference of water to beneficial use shall be filed on or before. May 5, 1996 The state Engineer of Nevada, have hereunts set my hand and the seal of my better of Nevada, have hereunts set my hand and the seal of my

(O) 2145 (Rev. 9-89)